





## Wood with increasing hardness

WOOD NAME		DESCRIPTION	PLACE OF GROWTH	USEFUL PROPERTIES ( + )	NEGATIVE FEATURES ( - )
<b>Birch</b>	<b>Birke</b>	More than a hundred species of birch, birch wood is light and creamy yellow in color	<b>It grows throughout the northern hemisphere</b>	Medium hardness is 3.5 kgf/sq.mm according to the Brinell scale; uniformity, pleasant appearance, high bactericidal properties (tar), low cost (reasonable price/affordable price)	The wood is sensitive to high humidity, periodically requires treatment from moisture and scratches
<b>Walnut</b>	<b>Walnuss</b>	Deciduous trees are 18–25 (30) m in height. The walnut is a long-lived tree. It retains the ability to bear fruit for up to 400 years	<b>Central and Western Asia, Iran, Afghanistan, Himalayas, Korea, China, Japan, and South-Eastern Europe</b>	Brinell hardness is 3.5–3.9 kgf/sq.mm. The color ranges from light brown to chocolate brown. Walnut is a rot-resistant wood. As it dries it does not deform and shrinks slightly	An expensive type of parquet that requires special care and a regular renovation of the protective coat
<b>Teak</b>	<b>Teakholz</b>	Teak is cultivated in Indonesia. Indonesian teak wood slightly differs in color, but it is close to Burmese teak in durability and in resistance to impact	<b>Indonesia, Central and Southern Africa</b>	Due to the oil and varnish coating, teak parquet is scratch-resistant. IT is not difficult to take care after it: just remove dirt in time and do wet cleaning. The most important advantage is moisture resistance, hardness – 3.6 kgf/sq.mm according to Brinell scale	Some species of teak are endangered, high cost
<b>Birmanian teak</b>	<b>Birmanisches Teakholz</b>	Teak is a noble tree that is native to Myanmar (the new name of Birma, India). The Birmanese type of teak is more uniform in color. The color is golden brown and has a few speckles	<b>India</b>	As it has a high content of oily substances it practically does not rot and can last for hundreds of years under favorable conditions. It is very resistant to loads and external effects and therefore it has long been used in shipbuilding	Rare and expensive type of parquet
<b>Oak</b>	<b>Eiche</b>	Oak is a powerful large tree that grows in temperate climates	<b>It grows throughout the northern hemisphere mainly in Europe, North America, and Southeast Asia</b>	Oak wood does not absorb moisture (it will never swell or rot). The wood is warm and it leaves no dents or scratches. It is resistant to fungus and parasites, wear-resistant, Brinell hardness 3.7 kgf/sq.mm	Heavy, difficult to install, expensive
<b>Yellow Balau</b>	<b>Gelbe Balau</b>	BALAU is a deciduous, very tall tree, reaches 50 m or more in height. It has a straight exposed cylindrical trunk (up to 25–30 m) with a diameter of 100 cm or more. Another name is Bangirai.	<b>Southeast Asia, tropical forests of Indonesia and Malaysia, Philippine Islands</b>	The wood is extremely dense and durable, practically without knots. Brinell hardness is 3.9 kgf/sq.mm. Yellow Balau is a biostable type of wood. It is absolutely resistant to fungi and mold, water resistant, fire safe, does not rot	The wood has an average level of resistance to termites. Rare and expensive type of parquet
<b>Walnut (Hickory/ Pecan)</b>	<b>Walnuss (Hickory)</b>	Large, deciduous, monoecious trees are up to 60–65 m in height. Hickory considered to be an «antediluvian» plant that survived through the Ice Age.	<b>Southern US States and China</b>	Brinell hardness is 4.2 kgf/sq.mm. It is not among the rarest wood species but the wood is hard, heavy, strong and durable.	Hickory trees grow quite slowly (about 200 years). The wood has a lot of inclusions and waves.
<b>Bamboo</b>	<b>Bambus</b>	Bamboo is a grass that has dense and elastic stems. Bamboo flooring is grounded bamboo stems glued with a special resin	<b>China and Vietnam</b>	Bamboo flooring looks aesthetically pleasing. This floor provides large selection of colors, high strength and wear resistance. It has an antistatic properties and resistance to mold and insects. Bamboo flooring is one of the cheapest options for natural wood floor. Brinell hardness is 4.7 kgf/sq.mm	Bamboo flooring cannot withstand mechanical influences (cannot withstand weight). It is not strong and needs a periodic impregnation from moisture and against swelling of the boards
<b>African Okan</b>	<b>Holz aus Afrika (Okan)</b>	The tree of 55 m or more in height, trunk diameter is 2.5–3 m. The color of the wood varies from yellow, sometimes brown with a greenish tint, to pink. Under the influence of UV the wood acquires a dark red-brown color	<b>West Africa</b>	Brinell hardness is 5.3 kgf/sq.mm. The wood is extremely strong and provides stable, durable and solid board	Over time the floor changes color to the light color, expensive type of parquet, complexity of installation
<b>Rosewood «Stone Rose»</b>	<b>Palisander «Steinrose»</b>	The trunk diameter is from 30 cm to 1,5 m, depending on the place of growth. The height of the trees is up to 25 m. The color of wood: chocolate, red and purple	<b>Asia, Indonesia, Nepal, India and Thailand</b>	Brinell hardness is 5.5 kgf/sq.mm. Stone rose wood wood is heavy, dense/ The wood does not dry out too much, it is difficult to split up, it is easy to polish as well. It has high biological resistance, resists well all types of fungal influence, and also is marked by resistance to insects. After drying, the strength of rosewood improves.	Endangered, expensive type of parquet
<b>Ipe «Brazil nut»</b>	<b>Paranuss (Ipe)</b>	The name comes from the language of Native South Americans. The tree is 40–45 m high, has regular shape trunks with a diameter of 60–90 cm	<b>South America</b>	Brinell hardness is of 5.9 kg/ sq.m. The color shade and strength of the wood retains for more than half a century, does not deform. The wood is suitable for the outside use	Spots, scratches and dents can easily appear on the wood. The wood usually has dark color shade
<b>Jatoba (Brazilian Cherry)</b>	<b>Yatoba (Brasil Kirsche)</b>	Jatoba (Brazilian cherry) is a tropical plant of the legume family, a valuable exotic tree that belongs to the mahogany, orange–pink and brownish–red shades of the wood	<b>Jatoba tree grows in the West Indies, Central and South America, particularly Brazil</b>	The wood has an attractive texture and naturally bright, rich color. Brinell hardness is 7.0 kgf/sq.mm. The wood is resistant to water and resistant to surface erasing and fungus. The wood has a unique ability to take rounded shapes after special drying process, therefore it is used for the furniture manufacture, yachts and boats building	Over time the floor changes color to the light color, expensive type of parquet, complexity of installation
<b>Acacia</b>	<b>Akazie</b>	Evergreen low tree, up to 25 m high and trunk diameter up to 1,2 m	<b>Indonesia, Brazil, Peru, Thailand</b>	An exotic type of parquet. The wood has high hardness – 7.1 kgf/sq.mm according to Brinell. The wood does not leave scratches. Due to natural resins the wood is not susceptible to rotting and mold	Board length is no more than 1m, contains many knots



## Holz mit steigender Härte

WOOD NAME		DESCRIPTION	PLACE OF GROWTH	USEFUL PROPERTIES ( + )	NEGATIVE FEATURES ( - )
<b>Birch</b>	<b>Birke</b>	More than a hundred species of birch, birch wood is light and creamy yellow in color	<b>It grows throughout the northern hemisphere</b>	Medium hardness is 3.5 kgf/sq.mm according to the Brinell scale; uniformity, pleasant appearance, high bactericidal properties (tar), low cost (reasonable price/affordable price)	The wood is sensitive to high humidity, periodically requires treatment from moisture and scratches
<b>Walnut</b>	<b>Walnuss</b>	Deciduous trees are 18–25 (30) m in height. The walnut is a long-lived tree. It retains the ability to bear fruit for up to 400 years	<b>Central and Western Asia, Iran, Afghanistan, Himalayas, Korea, China, Japan, and South-Eastern Europe</b>	Brinell hardness is 3.5–3.9 kgf/sq.mm. The color ranges from light brown to chocolate brown. Walnut is a rot-resistant wood. As it dries it does not deform and shrinks slightly	An expensive type of parquet that requires special care and a regular renovation of the protective coat
<b>Teak</b>	<b>Teakholz</b>	Teak is cultivated in Indonesia. Indonesian teak wood slightly differs in color, but it is close to Burmese teak in durability and in resistance to impact	<b>Indonesia, Central and Southern Africa</b>	Due to the oil and varnish coating, teak parquet is scratch-resistant. IT is not difficult to take care after it: just remove dirt in time and do wet cleaning. The most important advantage is moisture resistance, hardness – 3.6 kgf/sq.mm according to Brinell scale	Some species of teak are endangered, high cost
<b>Birmanian teak</b>	<b>Birmanisches Teakholz</b>	Teak is a noble tree that is native to Myanmar (the new name of Birma, India). The Birmanese type of teak is more uniform in color. The color is golden brown and has a few speckles	<b>India</b>	As it has a high content of oily substances it practically does not rot and can last for hundreds of years under favorable conditions. It is very resistant to loads and external effects and therefore it has long been used in shipbuilding	Rare and expensive type of parquet
<b>Oak</b>	<b>Eiche</b>	Oak is a powerful large tree that grows in temperate climates	<b>It grows throughout the northern hemisphere mainly in Europe, North America, and Southeast Asia</b>	Oak wood does not absorb moisture (it will never swell or rot). The wood is warm and it leaves no dents or scratches. It is resistant to fungus and parasites, wear-resistant, Brinell hardness 3.7 kgf/sq.mm	Heavy, difficult to install, expensive
<b>Yellow Balau</b>	<b>Gelbe Balau</b>	BALAU is a deciduous, very tall tree, reaches 50 m or more in height. It has a straight exposed cylindrical trunk (up to 25–30 m) with a diameter of 100 cm or more. Another name is Bangirai.	<b>Southeast Asia, tropical forests of Indonesia and Malaysia, Philippine Islands</b>	The wood is extremely dense and durable, practically without knots. Brinell hardness is 3.9 kgf/sq.mm. Yellow Balau is a biostable type of wood. It is absolutely resistant to fungi and mold, water resistant, fire safe, does not rot	The wood has an average level of resistance to termites. Rare and expensive type of parquet
<b>Walnut (Hickory/ Pecan)</b>	<b>Walnuss (Hickory)</b>	Large, deciduous, monoecious trees are up to 60–65 m in height. Hickory considered to be an «antediluvian» plant that survived through the Ice Age.	<b>Southern US States and China</b>	Brinell hardness is 4.2 kgf/sq.mm. It is not among the rarest wood species but the wood is hard, heavy, strong and durable.	Hickory trees grow quite slowly (about 200 years). The wood has a lot of inclusions and waves.
<b>Bamboo</b>	<b>Bambus</b>	Bamboo is a grass that has dense and elastic stems. Bamboo flooring is grounded bamboo stems glued with a special resin	<b>China and Vietnam</b>	Bamboo flooring looks aesthetically pleasing. This floor provides large selection of colors, high strength and wear resistance. It has an antistatic properties and resistance to mold and insects. Bamboo flooring is one of the cheapest options for natural wood floor. Brinell hardness is 4.7 kgf/sq.mm	Bamboo flooring cannot withstand mechanical influences (cannot withstand weight). It is not strong and needs a periodic impregnation from moisture and against swelling of the boards
<b>African Okan</b>	<b>Holz aus Afrika (Okan)</b>	The tree of 55 m or more in height, trunk diameter is 2.5–3 m. The color of the wood varies from yellow, sometimes brown with a greenish tint, to pink. Under the influence of UV the wood acquires a dark red-brown color	<b>West Africa</b>	Brinell hardness is 5.3 kgf/sq.mm. The wood is extremely strong and provides stable, durable and solid board	Over time the floor changes color to the light color, expensive type of parquet, complexity of installation
<b>Rosewood «Stone Rose»</b>	<b>Palisander «Steinrose»</b>	The trunk diameter is from 30 cm to 1,5 m, depending on the place of growth. The height of the trees is up to 25 m. The color of wood: chocolate, red and purple	<b>Asia, Indonesia, Nepal, India and Thailand</b>	Brinell hardness is 5.5 kgf/sq.mm. Stone rose wood wood is heavy, dense/ The wood does not dry out too much, it is difficult to split up, it is easy to polish as well. It has high biological resistance, resists well all types of fungal influence, and also is marked by resistance to insects. After drying, the strength of rosewood improves.	Endangered, expensive type of parquet
<b>Ipe «Brazil nut»</b>	<b>Paranuss (Ipe)</b>	The name comes from the language of Native South Americans. The tree is 40–45 m high, has regular shape trunks with a diameter of 60–90 cm	<b>South America</b>	Brinell hardness is of 5.9 kg/ sq.m. The color shade and strength of the wood retains for more than half a century, does not deform. The wood is suitable for the outside use	Spots, scratches and dents can easily appear on the wood. The wood usually has dark color shade
<b>Jatoba (Brazilian Cherry)</b>	<b>Yatoba (Brasil Kirsche)</b>	Jatoba (Brazilian cherry) is a tropical plant of the legume family, a valuable exotic tree that belongs to the mahogany, orange–pink and brownish–red shades of the wood	<b>Jatoba tree grows in the West Indies, Central and South America, particularly Brazil</b>	The wood has an attractive texture and naturally bright, rich color. Brinell hardness is 7.0 kgf/sq.mm. The wood is resistant to water and resistant to surface erasing and fungus. The wood has a unique ability to take rounded shapes after special drying process, therefore it is used for the furniture manufacture, yachts and boats building	Over time the floor changes color to the light color, expensive type of parquet, complexity of installation
<b>Acacia</b>	<b>Akazie</b>	Evergreen low tree, up to 25 m high and trunk diameter up to 1,2 m	<b>Indonesia, Brazil, Peru, Thailand</b>	An exotic type of parquet. The wood has high hardness – 7.1 kgf/sq.mm according to Brinell. The wood does not leave scratches. Due to natural resins the wood is not susceptible to rotting and mold	Board length is no more than 1m, contains many knots



Die Dzhoda-Unternehmensgruppe arbeitet seit 2008 mit China zusammen. Wir haben zuverlässige Partner in China, Erfahrung, Kenntnisse in den Bereichen Bauwesen, Logistik, Außenwirtschaft sowie Kenntnisse der chinesischen Sprache.

Wir präsentieren Ihnen unser Sortiment an Parkett aus verschiedenen Holzarten unter Angabe ihrer Besonderheiten. Das Parkett galt schon immer als raffinierter und edler Bodenbelag, der aus hochwertigem Holz hergestellt wird und strengen

Qualitätskontrollen unterliegt, um eine einwandfreie und langlebige Oberfläche zu gewährleisten. Vielen Dank, dass Sie sich für unsere Firma entschieden haben! Sie können sich mit allen Probeartikeln bei uns visuell vertraut machen.

The Dzhoda Group of Companies has been cooperating with China since 2008. We have reliable partners in China, experience, knowledge in the fields of construction, logistics, foreign trade, as well as proficiency in the Chinese language.

We present to you our range of parquet flooring made of various types of wood, highlighting their features. Parquet has always been considered an exquisite and noble floor covering, crafted from high-quality wood and



subjected to strict quality control to ensure a flawless and durable finish. Thank you for choosing our company! You can visually familiarize yourself with all the sample items we offer.

Группа Компаний Джода сотрудничает с Китаем с 2008 года. У нас есть надежные партнеры в Китае, опыт, знания в областях строительства, логистики, внешнеэкономической деятельности, а также владение китайским языком.

Представляем Вам наш ассортимент паркета из различных пород древесины с указанием их особенностей. Паркет всегда считался изысканным и благородным напольным покрытием, которое изготавливают из высококачественного дерева

и подвергают строгому контролю качества, чтобы гарантировать безупречность и долговечность. Спасибо вам за то, что выбрали нашу компанию! Вы можете визуально ознакомиться у нас со всеми образцами.

### Oak naturally inspired parquet



**Artikelnummer:**  
P310000\_01.1

**Material: Eiche**  
Maße: 560\*90\*15/4mm  
Zertifikat: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF



**Article number:**  
P310000\_01.1

**Material: Oak**  
Dimensions: 560\*90\*15/4mm  
Certificate: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P310000\_01.1

**Материал: Дуб**  
Размеры: 560\*90\*15/4мм  
Сертификат: CE – Test  
Ссылка на сертификат: FLO-20-10-12-01  
Опубликовано: EPH  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Kangton natural grade brazilian walnut hardwood flooring american black walnut



**Artikelnummer:**  
P200000\_01.2

**Material: Eiche**  
Maße: 300-1200\*120\*14mm (Eiche-3mm)  
Zertifikat: ISO9001  
Herstellungsdauer, Tage: 50  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF



**Article number:**  
P200000\_01.2

**Material: Oak**  
Dimensions: 300-1200\*120\*14mm (Oak-3mm)  
Certificate: ISO9001  
Production time, Days: 50  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P200000\_01.2

**Материал: Дуб**  
Размеры: 300-1200\*120\*14мм (Дуб-3 мм)  
Сертификат: ISO9001  
Срок изготовления, Дни: 50  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Grey color stained high quality cheap strand woven bamboo floor



**Artikelnummer:**  
P214200\_01.5

**Material: Bambus gefärbt**  
Maße: 1850\*125\*14mm  
Zertifikat: CE, ISO9001  
Herstellungsdauer, Tage: 30  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF



**Article number:**  
P214200\_01.5

**Material: Dyed bamboo**  
Dimensions: 1850\*125\*14mm  
Certificate: CE, ISO9001  
Production time, Days: 30  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P214200\_01.5

**Материал: Окрашенный бамбук**  
Размеры: 1850\*125\*14мм  
Сертификат: CE, ISO9001  
Срок изготовления, Дни: 30  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Carbonized and natural Click lock strand woven bamboo flooring bamboo look floor



**Artikelnummer:**  
P214200\_01.4

**Material: Bambus**  
Maße: 915-1850\*96/132/135/142\*14mm  
Zertifikat: CE, ISO 9001, FSC, ISO14000  
Herstellungsdauer, Tage: 30  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P214200\_01.4



**Material: Bamboo**  
Dimensions: 915-1850\*96/132/135/142\*14mm  
Certificate: CE, ISO 9001, FSC, ISO14000  
Production time, Days: 30  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P214200\_01.4

**Материал: Бамбук**  
Размеры: 915-1850\*96/132/135/142\*14мм  
Сертификат: CE, ISO 9001, FSC, ISO14000  
Срок изготовления, Дни: 30  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF



### High density and durable mat click-lock flooring for indoor



**Artikelnummer:**  
P214200\_01.3

**Material: Bambus**

Maße: 1850\*125\*14mm  
Zertifikat: CE, ISO9001, FSC, ISO14000  
Herstellungsdauer, Tage: 30.  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P214200\_01.3

**Material: Bamboo**


Dimensions: 1850\*125\*14mm  
Certificate: CE, ISO9001, FSC, ISO14000  
Production time: Days: 30  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P214200\_01.3

**Материал: Бамбук**

Размеры: 1850\*125\*14мм  
Сертификат: CE, ISO9001, FSC, ISO14000  
Срок изготовления: Дней: 30  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Antique eco forest solid bamboo flooring



**Artikelnummer:**  
P214200\_01.2

**Material: Bambus**

Maße: 915-1850\*96/132/135/142\*14mm  
Zertifikat: CE, ISO9001, FSC, ISO14000  
Herstellungsdauer, Tage: 30  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P214200\_01.2

**Material: Bamboo**


Dimensions: 915-1850\*96/132/135/142\*14mm  
Certificate: CE, ISO9001, FSC, ISO14000  
Production time, Days: 30  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P214200\_01.2

**Материал: Бамбук**

Размеры: 915-1850\*96/132/135/142\*14мм  
Сертификат: CE, ISO9001, FSC, ISO14000  
Срок изготовления, Дни: 30  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Tiger CE certificate strand woven bamboo flooring



**Artikelnummer:**  
P214200\_01.1

**Material: Geflochtener bambus**

Maße: 1850\*130\*14mm  
Zertifikat: CE, ISO 9001, FSC, ISO14000  
Herstellungsdauer, Tage: 30  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P214200\_01.1

**Material: Braided bamboo**


Dimensions: 1850\*130\*14mm  
Certificate: CE, ISO 9001, FSC, ISO14000  
Production time, Days: 30  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P214200\_01.1

**Материал: Плетеный бамбук**

Размеры: 1850\*130\*14мм  
Сертификат: CE, ISO 9001, FSC, ISO14000  
Срок изготовления, Дни: 30  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Solid wood flooring Indoor jatoba brazilian cherry hardwood flooring wooden



**Artikelnummer:**  
P313000\_01.5

**Material: Brasilianische kirsche (Yatoba)**

Maße: 300-1800\*122\*18mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 60  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P313000\_01.5

**Material: Brazilian cherry (Yatoba)**

Dimensions: 300-1800\*122\*18mm  
Certificate: ISO9001, CARB  
Production time, Days: 60  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P313000\_01.5

**Материал: Бразильская вишня (Ятоба)**

Размеры: 300-1800\*122\*18мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 60  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Oak parquet engineered wooden flooring/indoor/parquet wood/DIY floor



**Artikelnummer:**  
P313000\_01.4

**Material: Eiche**

Maße: 0.078m2/St  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 60  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P313000\_01.4

**Material: Oak**


Dimensions: 0.078m2/h  
Certificate: ISO9001, CARB  
Production time, Days: 60  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P313000\_01.4

**Материал: Дуб**

Размеры: 0.078 м2/ст  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 60  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Rosewood parquet engineered wooden flooring/hard wood flooring



**Artikelnummer:**  
P313000\_01.3

**Material: Palisander**

Maße: 600\*120\*10/15/18mm  
Zertifikат: ISO9001, CARB  
Herstellungsdauer, Tage: 60  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P313000\_01.3

**Material: Rosewood**

Dimensions: 600\*120\*10/15/18mm  
Certificate: ISO9001, CARB  
Production time, Days: 60  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF



**Артикул:**  
P313000\_01.3

**Материал: Палисандр**

Размеры: 600\*120\*10/15/18мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 60  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF



**European oak walnut chevron/herringbone parquet white oak engineered wooden**



**Artikelnummer:**  
P313000\_01.2

**Material: Eiche**

Maße: 600\*120\*10/15/18mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 60  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P313000\_01.2

**Material: Oak**



Dimensions: 600\*120\*10/15/18mm  
Certificate: ISO9001, CARB  
Production time, Days: 60  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P313000\_01.2

**Материал: Дуб**

Размеры: 600\*120\*10/15/18мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 60  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

**Acacia small leaf solid wood/hard wood flooring**



**Artikelnummer:**  
P313000\_01.1

**Material: Akazie**

Maße: 300-1200\*122\*18mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 60  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P313000\_01.1

**Material: Acacia**

Dimensions: 300-1200\*122\*18mm  
Certificate: ISO9001, CARB  
Production time, Days: 60  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P313000\_01.1

**Материал: Акация**

Размеры: 300-1200\*122\*18мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 60  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

**Click system 12mm thickness HDF AC4 high gloss grade waterproof engineered wood**



**Artikelnummer:**  
P314100\_01.5

**Material: Walnuß**

Maße: 805\*405\*12mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P314100\_01.5

**Material: Walnut**



Dimensions: 805\*405\*12mm  
Certificate: ISO9001, CARB  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P314100\_01.5

**Материал: Грецкий орех**

Размеры: 805\*405\*12мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

**Indoor usage natural color UV Oil 18mm thickness ABCD grade water**



**Artikelnummer:**  
P314100\_01.4

**Material: Eiche**

Maße: 1220\*170\*18mm/1220\*199\*18mm (eiche – 3mm)  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P314100\_01.4

**Material: Oak**



Dimensions: 1220\*170\*18mm/1220\*199\*18mm (oak – 3mm)  
Certificate: ISO9001, CARB  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P314100\_01.4

**Материал: Дуб**

Размеры: 1220\*170\*18 мм/1220\*199\*18мм (дуб – 3 мм)  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

**2019 New Design custom home decoration smooth 15mm thickness natural color black**



**Artikelnummer:**  
P314100\_01.3

**Material: Walnuß**

Maße: 450\*450\*12/2mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P314100\_01.3

**Material: Walnut**


Dimensions: 450\*450\*12/2mm  
Certificate: ISO9001, CARB  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P314100\_01.3

**Материал: Грецкий орех**

Размеры: 450\*450\*12/2мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

**Multi-layer solid wood composite parquet floor block**



**Artikelnummer:**  
P314100\_01.2

**Material: Eiche mit naturmuschelmateriale**

Maße: 450\*450\*14(1.2)mm 600\*600\*14(1.2)mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P314100\_01.2

**Material: Oak with natural shell material**

Dimensions: 450\*450\*14(1.2)mm 600\*600\*14(1.2)mm  
Certificate: ISO9001, CARB  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P314100\_01.2

**Материал: Дуб с перламутром из раковин**

Размеры: 450\*450\*14(1,2)мм 600\*600\*14(1,2)мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

**New style selections burma teak wood parquet flooring**



**Artikelnummer:**  
P528315\_01.5

**Material:**  
**Birmanisches teakholz**  
Maße:  
450\*450\*15(1.2)mm  
Zertifikat: CE/ISO9001/  
ISO14001/FSC  
Herstellungsdauer,  
Tage: 50  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF

**Article number:**  
P528315\_01.5

**Material: Burmese teak wood**  
Dimensions:  
450\*450\*15(1.2)mm  
Certificate: CE/ISO9001/  
ISO14001/FSC  
Production time,  
Days: 50  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P528315\_01.5

**Материал:**  
**Бирманский тик**  
Размеры:  
450\*450\*15(1,2)мм  
Сертификат: CE/  
ISO9001  
/ISO14001/FSC  
Срок изготовления,  
Дни: 50  
Минимальный  
объем заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

**New design white oak parquet flooring wholesale**



**Artikelnummer:**  
P528315\_01.4

**Material: Eiche**  
Maße:  
450\*450\*15(1.2)mm  
Zertifikat: CE/ISO9001/  
ISO14001/FSC  
Herstellungsdauer,  
Tage: 50  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF



**Article number:**  
P528315\_01.4

**Material: Oak**  
Dimensions:  
450\*450\*15(1.2)mm  
Certificate: CE/ISO9001/  
ISO14001/FSC  
Production time,  
Days: 50  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P528315\_01.4

**Материал: Дуб**  
Размеры:  
450\*450\*15(1,2)мм  
Сертификат: CE/  
ISO9001/ISO14001/FSC  
Срок изготовления,  
Дни: 50  
Минимальный  
объем заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

**Dark color art parquet wood flooring prices for sale**



**Artikelnummer:**  
P528315\_01.3

**Material: Walnuß**  
Maße:  
450\*450\*15(1.2)mm  
Zertifikat: CE/ISO9001/  
ISO14001/FSC  
Herstellungsdauer,  
Tage: 50  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF


**Article number:**  
P528315\_01.3

**Material: Walnut**  
Dimensions:  
450\*450\*15(1.2)mm  
Certificate: CE/ISO9001/  
ISO14001/FSC  
Production time,  
Days: 50  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P528315\_01.3

**Материал: Грецкий орех**  
Размеры:  
450\*450\*15(1,2)мм  
Сертификат: CE/  
ISO9001/ISO14001/FSC  
Срок изготовления,  
Дни: 50  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

**Customized logo indoor brazilian walnut wood floor prices**



**Artikelnummer:**  
P528315\_01.2

**Material:**  
**Walnuß (Brasilien)**  
Maße:  
600\*600\*15(1.2)mm  
Zertifikat:  
CE/ISO9001/  
ISO14001/FSC  
Herstellungsdauer,  
Tage: 50  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF



**Article number:**  
P528315\_01.2

**Material:**  
**Walnut (Brazil)**  
Dimensions:  
600\*600\*15(1.2)mm  
Certificate:  
CE/ISO9001/  
ISO14001/FSC  
Production time,  
Days: 50  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P528315\_01.2

**Материал: Грецкий орех (Бразилия)**  
Размеры:  
600\*600\*15(1,2)мм  
Сертификат:  
CE/ISO9001/  
ISO14001/FSC  
Срок изготовления,  
Дни: 50  
Минимальный  
объем заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

**Antique teak color timber engineer wood flooring**



**Artikelnummer:**  
P528315\_01.1

**Material:**  
**Teakholz gefärbt**  
Maße:  
1200\*125\*15/4mm  
Zertifikat: CE/ISO9001/  
ISO14001/FSC  
Herstellungsdauer,  
Tage: 50  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF


**Article number:**  
P528315\_01.1

**Material:**  
**Teak wood dyed**  
Dimensions:  
1200\*125\*15/4mm  
Certificate: CE/ISO9001/  
ISO14001/FSC  
Production time,  
Days: 50  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P528315\_01.1

**Материал: Окрашенное тиковое дерево**  
Размеры:  
1200\*125\*15/4мм  
Сертификат:  
CE/ISO9001/  
ISO14001/FSC  
Срок изготовления,  
Дни: 50  
Минимальный  
объем заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

**Smooth solid birch wood floor/birch wood veneers hardwood flooring**



**Artikelnummer:**  
P310000\_02.9

**Material: Birke**  
Maße:  
300-1200\*120\*18mm  
Zertifikat:  
ISO9001, CARB  
Herstellungsdauer,  
Tage: 45  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF


**Article number:**  
P310000\_02.9

**Material: Birch**  
Dimensions:  
300-1200\*120\*18mm  
Certificate:  
ISO9001, CARB  
Production time,  
Days: 45  
Minimum order quantity,  
m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P310000\_02.9

**Материал: Берёза**  
Размеры:  
300-1200\*120\*18мм  
Сертификат:  
ISO9001, CARB  
Срок изготовления,  
Дни: 45  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

### 2020 Rustic white oak timber wood flooring



**Artikelnummer:**  
P310000\_01.5

**Material: Eiche**  
Maße: 910\*125\*18mm  
Zertifikat: CE – Test  
Certificate Reference:  
FLO-20-10-12-01  
Issued by: EPH  
Herstellungsdauer,  
Tage: 45  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF



**Article number:**  
P310000\_01.5

**Material: Oak**  
Dimensions:  
910\*125\*18mm  
Certificate: CE – Test  
Certificate Reference:  
FLO-20-10-12-01  
Issued by: EPH  
Production time,  
Days: 45  
Minimum order  
quantity, m2: 500  
The price/m2  
includes delivery  
on the terms CIF

**Артикул:**  
P310000\_01.5

**Материал: Дуб**  
Размеры:  
910\*125\*18мм  
Сертификат: CE – Test  
Ссылка на сертификат:  
FLO-20-10-12-01  
Опубликовано: EPH  
Срок изготовления,  
Дни: 45  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

### Dark chocolate-colored parquet made of oak wood



**Artikelnummer:**  
P310000\_01.4

**Material: Eiche**  
Maße: 450\*90\*15/4mm  
Zertifikat: CE – Test  
Certificate Reference:  
FLO-20-10-12-01  
Issued by: EPH  
Herstellungsdauer,  
Tage: 45  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF


**Article number:**  
P310000\_01.4

**Material: Oak**  
Dimensions:  
450\*90\*15/4mm  
Certificate: CE – Test  
Certificate Reference:  
FLO-20-10-12-01  
Issued by: EPH  
Production time,  
Days: 45  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P310000\_01.4

**Материал: Дуб**  
Размеры:  
450\*90\*15/4мм  
Сертификат:  
CE – Test Ссылка  
на сертификат:  
FLO-20-10-12-01  
Опубликовано: EPH  
Срок изготовления,  
Дни: 45  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

### Cheap factory price TAP & GO system waterproof african solid Okan hardwood floor



**Artikelnummer:**  
P314100\_01.1

**Material: Holz aus Afrika (Okan)**  
Maße: 1220\*170\*18mm  
/1220\*199\*18mm  
Zertifikat:  
ISO9001, CARB  
Herstellungsdauer,  
Tage: 45  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2  
beinhaltet die  
Lieferung zu den  
Bedingungen CIF

**Article number:**  
P314100\_01.1


**Material: Wood from Africa (Okan)**  
Dimensions:  
1220\*170\*18mm  
/1220\*199\*18mm  
Certificate:  
ISO9001, CARB  
Production time,  
Days: 45  
Minimum order quantity,  
m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P314100\_01.1

**Материал: Древесина из Африки (Окан)**  
Размеры: 1220\*170\*  
18мм/1220\*199\*18мм  
Сертификат:  
ISO9001, CARB  
Срок изготовления,  
Дни: 45  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF



### Lapacho ipe high quality solid wood wooden floor



**Artikelnummer:**  
P310000\_02.5

**Material: Paranaü (Ipe)**  
Maße: 1200\*250\*18mm  
Zertifikat:  
ISO9001, CARB  
Herstellungsdauer,  
Tage: 45  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF



**Article number:**  
P310000\_02.5

**Material: Brazil nut (Ipe)**  
Dimensions:  
1200\*250\*18mm  
Certificate:  
ISO9001, CARB  
Production time,  
Days: 45  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P310000\_02.5

**Материал: Бразильский орех (Ipe)**  
Размеры:  
1200\*250\*18мм  
Сертификат:  
ISO9001, CARB  
Срок изготовления,  
Дни: 45  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

### Tongue&Groove bamboo flooring carbonized solid bamboo floor



**Artikelnummer:**  
P310000\_02.4

**Material: Bambus**  
Maße: 1850\*140\*14mm  
Zertifikat:  
ISO9001, CARB  
Herstellungsdauer,  
Tage: 45  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF



**Article number:**  
P310000\_02.4

**Material: Bamboo**  
Dimensions:  
1850\*140\*14mm  
Certificate:  
ISO9001, CARB  
Production time,  
Days: 45  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P310000\_02.4

**Материал: Бамбук**  
Размеры:  
1850\*140\*14мм  
Сертификат:  
ISO9001, CARB  
Срок изготовления,  
Дни: 45  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF

### Wholesale yellow balau solid wood garden decking outdoor hardwood decking



**Artikelnummer:**  
P310000\_02.3

**Material: Gelbe Balau**  
Maße: 1500\*90\*18mm  
Zertifikат:  
ISO9001, CARB  
Herstellungsdauer,  
Tage: 45  
Mindestbestellmenge,  
m2: 500  
Der Preis/m2 beinhaltet  
die Lieferung zu den  
Bedingungen CIF

**Article number:**  
P310000\_02.3


**Material: Yellow Balau**  
Dimensions:  
1500\*90\*18mm  
Certificate:  
ISO9001, CARB  
Production time,  
Days: 45  
Minimum order  
quantity, m2: 500  
The price/m2 includes  
delivery on the terms CIF

**Артикул:**  
P310000\_02.3

**Материал: Жёлтый Балау**  
Размеры:  
1500\*90\*18мм  
Сертификат:  
ISO9001, CARB  
Срок изготовления,  
Дни: 45  
Минимальный объем  
заказа, м2: 500  
Цена/м2 включает до-  
ставку на условиях CIF



### 100% real wood solid hickory wood flooring solid hickory hardwood flooring



**Artikelnummer:**  
P310000\_02.2

**Material:**  
Walnuß (Hickory)

Maße: 300-1200\*127\*18mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P310000\_02.2

**Material:**  
Walnut (Hickory)


Dimensions: 300-1200\*127\*18mm  
Certificate: ISO9001, CARB  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P310000\_02.2

**Материал:** Грецкий орех (Гикори)

Размеры: 300-1200\*127\*18мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Natural solid acacia wood decking/outdoor decking/hardwood deck tile for outdoor



**Artikelnummer:**  
P310000\_02.1

**Material:** Akazie

Maße: 300-1200\*122\*18mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P310000\_02.1

**Material:** Acacia



Dimensions: 300-1200\*122\*18mm  
Certificate: ISO9001, CARB  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P310000\_02.1

**Материал:** Акация

Размеры: 300-1200\*122\*18мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### European white oak engineered wood flooring



**Artikelnummer:**  
P310000\_02.10

**Material:** Eiche

Maße: 510\*90\*15/4mm  
Zertifikat: ISO9001, CARB  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P310000\_02.10

**Material:** Oak


Dimensions: 510\*90\*15/4mm  
Certificate: ISO9001, CARB  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P310000\_02.10

**Материал:** Дуб

Размеры: 510\*90\*15/4мм  
Сертификат: ISO9001, CARB  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Indonesia teak wood flooring/parquet flooring



**Artikelnummer:**  
P310000\_02.6

**Material:** Birmanisches teakholz

Maße: 300-1500\*93\*18mm  
Zertifikat: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500. Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P310000\_02.6

**Material:** Burmese teak


Dimensions: 300-1500\*93\*18mm  
Certificate: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P310000\_02.6

**Материал:** Бирманский тик

Размеры: 300-1500\*93\*18мм  
Сертификат: CE – Test  
Ссылка на сертификат: FLO-20-10-12-01  
Опубликовано: EPH  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### European oak wood floor Chevron-Oak parquet



**Artikelnummer:**  
P310000\_01.3

**Material:** Eiche

Maße: 750\*150\*14/3mm  
Zertifikat: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P310000\_01.3

**Material:** Oak

Dimensions: 750\*150\*14/3mm  
Certificate: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P310000\_01.3

**Материал:** Дуб

Размеры: 750\*150\*14/3мм  
Сертификат: CE – Test  
Ссылка на сертификат: FLO-20-10-12-01  
Опубликовано: EPH  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF

### Indoor Deco Natural Color Chevron Wood Floor Oak



**Artikelnummer:**  
P310000\_01.2

**Material:** Eiche

Maße: 600\*120\*15/4mm  
Zertifikat: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Herstellungsdauer, Tage: 45  
Mindestbestellmenge, m2: 500  
Der Preis/m2 beinhaltet die Lieferung zu den Bedingungen CIF

**Article number:**  
P310000\_01.2

**Material:** Oak

Dimensions: 600\*120\*15/4mm  
Certificate: CE – Test  
Certificate Reference: FLO-20-10-12-01  
Issued by: EPH  
Production time, Days: 45  
Minimum order quantity, m2: 500  
The price/m2 includes delivery on the terms CIF

**Артикул:**  
P310000\_01.2

**Материал:** Дуб

Размеры: 600\*120\*15/4мм  
Сертификат: CE – Test  
Ссылка на сертификат: FLO-20-10-12-01  
Опубликовано: EPH  
Срок изготовления, Дни: 45  
Минимальный объем заказа, м2: 500  
Цена/м2 включает доставку на условиях CIF





**DZHODA - BAU**

[www.dzhoda-bau.com](http://www.dzhoda-bau.com)



**DZHODA-BAU.COM**



**E-Mail-Adresse**

[baumaterial.handel@gmail.com](mailto:baumaterial.handel@gmail.com)  
[info@dzhoda-bau.com](mailto:info@dzhoda-bau.com)

**Telefonnummer**

+49 176 37103885  
+49 0341 24810791

**Adresse**

Am Eichwinkel 16,  
04279 Leipzig, Deutschland



+49 176 68495615



[dzhoda\\_bau](https://www.instagram.com/dzhoda_bau)



[dzhoda-bau](https://www.linkedin.com/company/dzhoda-bau)



**DZHODA-BAU.COM**